Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PUBLIC HEALTH REPORTS

ISSUED WEEKLY

BY THE

UNITED STATES PUBLIC HEALTH SERVICE

CONTAINING INFORMATION OF THE CURRENT PREVALENCE OF DISEASE, THE OCCURRENCE OF EPIDEMICS, SANITARY LEGISLATION, AND RELATED SUBJECTS

VOLUME 32

NUMBER 15

APRIL 13, 1917

WASHINGTON
GOVERNMENT PRINTING OFFICE
1917

UNITED STATES PUBLIC HEALTH SERVICE.

RUPERT BLUE, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. JOHN W. TRASK, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of typhus fever, cholera, plague, yellow fever, smallpox, and other communicable diseases throughout the world. (2) Sanitary legislation, including court decisions on matters relating to public health administration and the laws and regulations being enacted or adopted by State and municipal authorities for the safeguarding of the public health. (3) Articles relating to the cause, prevention, or control of disease. (4) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.

AT

5 CENTS PER COPY

SUBSCRIPTION PRICE, $2.00 PER YEAR

CONTENTS.

Page.

Typhoid fever—Prevalence in cities during 1916 535
Anopheline mosquitoes—Their distribution and infection under field conditions 536

PREVALENCE OF DISEASE.

United States:
Cerebrospinal meningitis—
State reports for February, 1917 541
City reports for week ended March 24, 1917 541
Cholera—
Philippine Islands—Manila 541
Erysipelas—
City reports for week ended March 24, 1917 542
Leprosy—
City reports for week ended March 24, 1917 542
Malaria—
State reports for February, 1917 542
City report for week ended March 24, 1917 543
Measles—
Alabama—Birmingham 543
California 543
California—Los Angeles 543
Illinois—Cairo 543
Washington—Seattle 544
Pellagra—
Virginia report for February, 1917 544
City reports for week ended March 24, 1917 544
Pneumonia—
City reports for week ended March 24, 1917 544
Poliomyelitis (infantile paralysis)—
State reports for February, 1917 545
City reports for week ended March 24, 1917 545
Rabies in animals—
City report for week ended March 24, 1917 545
Smallpox—
Illinois—Cairo 545
Massachusetts—Worcester 545
Minnesota 545
Ohio—Springfield 546
Ohio—Toledo—Correction 546
Oklahoma—Okmulgee County jail 546
Texas—Galveston 546
California report for February, 1917 546
Miscellaneous State reports 547
City reports for week ended March 24, 1917 547

United States—Continued. Page
Tetanus—
City reports for week ended March 24, 1917 547
Typhoid fever—
State reports for February, 1917 548
City reports for week ended March 24, 1917 548
Typhus fever—
Texas 549
City reports for week ended March 24, 1917 549
Preventable diseases—
Massachusetts report for week ended March 24, 1917 549
Diphtheria, measles, scarlet fever, and tuberculosis—
State reports for February, 1917 549
City reports for week ended March 24, 1917 550
Foreign:
China—
Examination of rats—Shanghai 553
Plague among rats—Hing Ning 553
Great Britain—
Anthrax—Longwood, England 553
Mexico—
Typhus decreasing—Aguascalientes 553
Cholera, plague, smallpox, typhus fever, and yellow fever—
Reports received during the week ended April 13, 1917—
Cholera 553
Plague 554
Smallpox 554
Typhus fever 555
Yellow fever 555
Reports received from December 30, 1916, to April 6, 1917—
Cholera 555
Plague 557
Smallpox 558
Typhus fever 561
Yellow fever 562